




DURASID[®]
easy lasting sidings

CLADDING

- 3 Models of siding are available, all in a 5m length.
- **siding 167 mm:** this overlapping model guarantees a natural look of your facade
 - **vertical siding 167 mm:** this siding can be installed either horizontally or vertically
 - **double siding 333 mm:** a double model for an even faster installation

COLOUR



	Part no.	Colour	Length
Siding 167 mm	523167	90 (RAL 9010)	5 m
Vertical siding 167 mm	524167	91 (RAL 9001)	
Double siding 333 mm	523333	92 (RAL 1015) 93 (RAL 7035) 94 (Camel) 95 (RAL 7016)	

	Part no.	Colour	Length	Drawing
Two-part edge trim	524150	90, 91, 92, 93, 94, 95	5m	
Starter trim	524200	White	5 m	
Ventilation profile	524250	Black	2,5 m	
Joiner profile	524300	90, 91, 92, 93, 94, 95	5 m	
Standard joiner piece (double)	524350	90, 91, 92, 93, 94, 95		
Invisible joiner piece (double)	524351	90, 91, 92, 93, 94, 95		
Standard joiner piece (single)	524360	90, 91, 92, 93, 94, 95		
Invisible joiner piece (single)	524361	90, 91, 92, 93, 94, 95		
Invisible joiner piece (vertical siding)	524362	90, 91, 92, 93, 94, 95		
Two-part internal-external corner	524450	90, 91, 92, 93, 94, 95	5 m	
Lacquered aluminium corner	524451	90, 91, 92, 93, 94, 95	5 m	
Corner profile	524500	90, 91, 92, 93, 94, 95	5 m	
Lacquered aluminium corner profile	524560	93, 94	5 m	

DURASID[®] is a complete cladding system that can be used for new buildings and renovation : ideal to be used in housing, static park homes and industrial buildings. The core is made out of cellular PVC-U with a coextruded top layer.


The system is an aesthetic alternative to traditional claddings..

- The benefits of these external claddings are:
- little maintenance
 - easy installation
 - very durable
 - impact resistant
 - insulating function
 - available in different finishing and colours
 - natural look

PROFILE TYPES



DRAWING



- 1 siding, vertical siding, double siding
2 two-part (lacquered aluminium) edge trim
3 starter trim
4 ventilation profile

- 5 joiner profile
6 standard joiner piece
7 invisible joiner piece
8 two-part (lacquered aluminium) internal-external corner
9 (lacquered aluminium) corner profile

The result of using a specific technology on the embossed surface of the cellular boards gives a cladding system with a very true-to-nature effect.

- **siding 167 mm:** this overlapping model guarantees a natural look of your facade

COLOUR



	Part no.	Colour	Length
Siding 167 mm	523167	Silver (SV) Cedar (CD) Graphite (GP) Olive (OV) Walnut (WL)	5 m

Tekening	Part no.	Colour	Length
	524160	93 (SV) / 94 (CD) / 96 (GP) / 97 (OV) / 98 (WL)	5m
	524200	White	5 m
	524250	Black	2,5 m
	524361	93 (SV) / 94 (CD) / 96 (GP) / 97 (OV) / 98 (WL)	
	524460	93 (SV) / 94 (CD) / 96 (GP) / 97 (OV) / 98 (WL)	5 m
	524560	93 (SV) / 94 (CD) / 96 (GP) / 97 (OV) / 98 (WL)	5 m





DURASID®
easy lasting sidings
by PLASTIVAN

WWW.DURASID.COM
INFO@DURASID.COM

Your dealer: